



WEDSPORT RN-55M FLOWFORM ULTRALIGHT

gloss black (GB) or black machined blue (BBM),
engraved logo, hub cap, aluminium valve

SIZE	PCD	ET	FACE	BORE	WEIGHT	GB	BBM	CHF
7.5x18	5x100	45	F	Ø 65	8.6 kg	S	S	640.-
	5x114.3	45	F	Ø 73	8.6 kg	S	S	640.-
8.0x18	5x114.3	35,45	F	Ø 73	8.8 kg	S	S	650.-
8.5x18	5x100	45	F	Ø 65	8.9 kg	S	S	660.-
	5x114.3	38,45,52	F	Ø 73	8.9 kg	S	S	660.-
9.0x18	5x114.3	35,45	FR	Ø 73	9.2 kg	S	S	670.-
	5x120	45	FR	Ø 73	9.2 kg	S	S	670.-
9.5x18	5x100	45	FR	Ø 65	9.4 kg	S	S	680.-
	5x114.3	25,38,45	FR	Ø 73	9.4 kg	S	S	680.-
10.0x18	5x114.3	18,36	RR	Ø 73	9.7 kg	S	S	690.-
10.5x18	5x114.3	20	RR	Ø 73	10.0 kg	S	S	700.-
8.0x19	5x112	48	F	Ø 66.5	9.1 kg	S	S	720.-
	5x114.3	45	F	Ø 73	9.1 kg	S	S	720.-
8.5x19	5x114.3	38,45	F	Ø 73	9.5 kg	S	S	740.-
9.5x19	5x114.3	28,38,48	R	Ø 73	9.8 kg	S	S	760.-
10.5x19	5x114.3	22,32	R	Ø 73	10.9 kg	S	S	780.-

S Serie, - not available | black wheel bolts/nuts without extra cost

Options²

hub cap WedsSport high type

+ 40.-

color
special effect
depending on light



RN-55M FR
black machined blue

RN-55M FR
gloss black



WEDSPORT RN-05M FLOWFORM ULTRALIGHT

gloss black (GB) or gold (G),
engraved logo, hub cap, aluminium valve

SIZE	PCD	ET	RIM	BORE	WEIGHT	GB	G	CHF
7.5x18	5x114.3	45	36	Ø 73	8.8 kg	S	S	630.-
8.0x18	5x112	45	36	Ø 66.5	9.2 kg	S	-	650.-
	5x114.3	35,45	36	Ø 73	9.2 kg	S	-	650.-
	5x120	45	36	Ø 72.5	9.2 kg	S	-	650.-
8.5x18	5x100	45	36	Ø 65	9.4 kg	S	-	670.-
	5x112	38	36	Ø 66.5	9.4 kg	S	-	670.-
	5x114.3	38,45	36	Ø 73	9.4 kg	S	-	670.-
	5x114.3	52	36	Ø 73	9.4 kg	S	S	670.-
	5x120	36	36	Ø 72.5	9.4 kg	S	-	670.-
9.0x18	5x112	50	48	Ø 66.5	9.1 kg	S	-	690.-
	5x114.3	20,36,45	48	Ø 73	9.8 kg	S	-	690.-
	5x120	50	48	Ø 72.5	9.1 kg	S	-	690.-
9.5x18	5x100	45	54	Ø 65	9.5 kg	S	-	710.-
	5x114.3	22,38	54	Ø 73	9.9 kg	S	-	710.-
	5x120	36	54	Ø 72.5	9.7 kg	S	-	710.-
10.0x18	5x114.3	18,36	61	Ø 73	10.1 kg	S	-	730.-
8.0x19	5x114.3	45	36	Ø 73	9.7 kg	S	-	730.-
8.5x19	5x114.3	38,45	36	Ø 73	9.9 kg	S	-	750.-
9.5x19	5x114.3	28,38,48	54	Ø 73	10.2 kg	S	-	770.-
10.5x19	5x114.3	22,32	61	Ø 73	10.9 kg	S	-	800.-

RIM outer rim depth in mm | S Serie, - not available
black wheel bolts/nuts without extra cost

Options²

hub cap WedsSport high type

+ 40.-



outer rim depth
61mm 54mm 48mm 36mm



rim type
18"



RN-05M rim 36 mm
gold



2-pc Shell Type
bolts & nuts



SA-72R RR
blue light chrome II

color
special effect
depending on light

SA-72R RR
hyper black clear



WedsSport



made in japan



WEDSPORT SA-72R FLOWFORM ULTRALIGHT


hyper black clear (HBC),
engraved logo, hub cap, aluminium valve

SIZE	PCD	ET	FACE	BORE	WEIGHT	HBC	BLCII	CHF
5.0x15	4x100	45		Ø 65	5.3 kg	S	-	330.-
6.0x15	4x100	38,48		Ø 65	5.7 kg	S	-	340.-
5.0x16	4x100	45		Ø 65	5.8 kg	S	-	360.-
6.5x16	4x100	38,48		Ø 65	6.5 kg	S	-	370.-
7.0x16	5x100	48		Ø 65	7.1 kg	S	-	380.-
	5x114.3	42,52		Ø 73	7.1 kg	S	-	380.-
7.0x17	4x100	43,50	FF	Ø 65	7.4 kg	S	O	420.-
	5x100	48	FF	Ø 73	7.8 kg	S	-	420.-
	5x114.3	48	FF	Ø 73	7.8 kg	S	-	420.-
7.5x17	4x100	38	FF	Ø 65	7.9 kg	S	-	430.-
	5x100	48	FR	Ø 73	7.9 kg	S	O	430.-
	5x114.3	45	FR	Ø 73	7.9 kg	S	O	430.-
7.5x18	5x100	45	F	Ø 73	8.4 kg	S	O	460.-
	5x114.3	35,45	F	Ø 73	8.4 kg	S	O	460.-
8.0x18	5x114.3	55	F	Ø 73	8.6 kg	S	O	470.-
8.5x18	5x100	45	F	Ø 73	8.9 kg	S	O	480.-
	5x114.3	35,50	F	Ø 73	8.9 kg	S	O	480.-
9.5x18	5x100	45	R	Ø 73	9.2 kg	S	O	490.-
	5x114.3	12	RR	Ø 73	9.2 kg	S	O	490.-
	5x114.3	38,45	R	Ø 73	9.2 kg	S	O	490.-
10.5x18	5x114.3	25	RR	Ø 73	9.5 kg	S	O	500.-

S Series, O Option, - not available | black wheel bolts/nuts without extra cost

Options²

blue light chrome II (BLCII), undercut blue trim + 130.-



SA-77R 15"-18"

AMF
Advanced Metal Forming
MADE IN JAPAN



WedsSport



SA-77R
worth black clear

SA-77R R
worth black clear



WEDSPORT SA-77R FLOWFORM ULTRALIGHT

worth black clear (WBC),
engraved logo, hub cap, aluminum valve

SIZE	PCD	ET	FACE	BORE	WEIGHT	WBC	BLCII	CHF
5.0x15	4x100	45		Ø 65	5.3 kg	S	-	330.-
6.0x15	4x100	38,48		Ø 65	5.7 kg	S	-	340.-
5.0x16	4x100	45		Ø 65	5.9 kg	S	-	360.-
6.5x16	4x100	38,50		Ø 65	6.5 kg	S	-	370.-
7.0x16	5x100	48		Ø 65	7.3 kg	S	-	380.-
	5x114.3	42,52		Ø 73	7.3 kg	S	-	380.-
7.0x17	4x100	43,50		Ø 65	7.8 kg	S	O	420.-
	5x100	45		Ø 65	7.9 kg	S	-	420.-
	5x114.3	48		Ø 73	7.9 kg	S	-	420.-
7.5x17	5x100	48		Ø 65	8.2 kg	S	O	430.-
	5x114.3	45		Ø 73	8.2 kg	S	O	430.-
7.5x18	5x100	45	F	Ø 65	8.6 kg	S	O	460.-
	5x114.3	35,45	F	Ø 73	8.6 kg	S	O	460.-
8.5x18	5x100	45	F	Ø 65	9.1 kg	S	O	480.-
	5x114.3	35,50	F	Ø 73	9.1 kg	S	O	480.-
9.5x18	5x100	45	R	Ø 65	9.3 kg	S	O	490.-
	5x114.3	38,45	R	Ø 73	9.3 kg	S	O	490.-

S Serie, O Option, - not available | black wheel bolts/nuts without extra cost

Options²

blue light chrome II (BLCII), undercut blue trim + 130.-



SA-77R R
blue light chrome II

color
special effect
depending on light





SA-10R R
zebra black bright

WedsSport



made in japan




WEDSPORT **SA-10R** FLOWFORM ULTRALIGHT front/rear

zebra black bright (ZBB),
engraved logo, hub cap, aluminium valve

SIZE	PCD	ET	FACE	BORE	WEIGHT	ZBB	BLC	CHF
5.0x15	4x100	45		Ø 65	5.1 kg	S	-	330.-
6.0x15	4x100	38,48		Ø 65	5.6 kg	S	-	340.-
6.5x16	4x100	38,48		Ø 65	6.2 kg	S	-	370.-
7.0x17	4x100	43,50		Ø 65	7.4 kg	S	-	420.-
7.5x17	5x100	48		Ø 73	8.0 kg	S	-	430.-
	5x114.3	45		Ø 73	8.0 kg	S	-	430.-
7.5x18	5x100	45	F	Ø 73	8.4 kg	S	O	460.-
	5x114.3	35,45	F	Ø 73	8.4 kg	S	O	460.-
8.5x18	5x100	45	F	Ø 73	8.8 kg	S	O	480.-
	5x114.3	35,45	F	Ø 73	8.8 kg	S	O	480.-
9.5x18	5x100	45	R	Ø 73	9.3 kg	S	O	490.-
	5x114.3	38,45	R	Ø 73	9.3 kg	S	O	490.-
10.5x18	5x114.3	12,25	RR	Ø 73	9.7 kg	S	O	500.-

S Series, O Option, - not available | black wheel bolts/nuts without extra cost

Options²
blue light chrome (BLC), undercut blue trim + 130.-



SA-10R RR
blue light chrome

color
special effect
depending on light



15"-20" SA-20R

AMF
Advanced Metal Forming
MADE IN JAPAN



WedsSport

SA-20R R
worth black clear

SA-20R R
metal black,
polished edge



WEDSPORT SA-20R FLOWFORM ULTRALIGHT

worth black clear (WBC), engraved logo, hub cap, aluminium valve
silver (S), engraved logo, hub cap, aluminium valve
metal black, polished edge (MBP), engraved logo, hub cap, alu valve

SIZE	PCD	ET	FACE	BORE	WEIGHT	WBC	S	MBP	BLCII	CHF
5.0x15	4x100	45		Ø 65	5.2 kg	S	-	-	-	330.-
6.0x15	4x100	38,48		Ø 65	5.7 kg	S	-	-	-	340.-
5.0x16	4x100	45		Ø 65	5.9 kg	S	-	-	-	360.-
6.5x16	4x100	38,50		Ø 65	6.3 kg	S	-	-	-	370.-
7.0x16	5x100	48		Ø 65	7.1 kg	S	-	-	-	380.-
	5x114.3	42,52		Ø 73	7.1 kg	S	-	-	-	380.-
7.0x17	4x100	43,50		Ø 65	7.6 kg	S	-	-	0	420.-
	5x100	48		Ø 65	7.9 kg	S	-	-	-	420.-
	5x114.3	48		Ø 73	7.9 kg	S	-	-	-	420.-
7.5x17	5x100	48		Ø 65	8.1 kg	S	-	-	0	430.-
	5x114.3	45		Ø 73	8.1 kg	S	-	-	0	430.-
7.5x18	5x100	45	F	Ø 65	8.3 kg	S	-	-	0	460.-
	5x114.3	35,45	F	Ø 73	8.3 kg	S	-	-	0	460.-
8.5x18	5x100	45	F	Ø 65	8.8 kg	S	-	-	0	480.-
	5x114.3	35,50	F	Ø 73	8.8 kg	S	-	-	0	480.-
9.5x18	5x100	45	R	Ø 65	9.0 kg	S	-	-	0	490.-
	5x114.3	38,45	R	Ø 73	9.0 kg	S	-	-	0	490.-
8.5x19	5x114.3	38,45	F	Ø 73	9.7 kg	-	S	S	-	570.-
9.5x19	5x114.3	38,48	R	Ø 73	10.0 kg	-	S	S	-	590.-
8.5x20	5x114.3	38,45	F	Ø 73	10.4 kg	-	S	S	-	640.-
9.5x20	5x114.3	38,48	R	Ø 73	10.7 kg	-	S	S	-	660.-


S Serie, O Option, - not available I black wheel bolts/nuts without extra cost

Options^z

blue light chrome II (BLCII), undercut blue trim
hub cap WedsSport high type (19"/20")

+ 130.-

+ 40.-



SA-20R R
blue light chrome II

color
special effect
depending on light



SA-20R R
silver



SA-54R R
worth black clear

SA-54R
worth black clear



SA-54R R
blue light chrome II



WEDSPORT SA-54R FLOWFORM ULTRALIGHT

worth black clear (WBC),
engraved logo, hub cap, aluminum valve

SIZE	PCD	ET	FACE	BORE	WEIGHT	WBC	BLCII	CHF
5.0x15	4x100	45		Ø 65	5.3 kg	S	-	330.-
6.0x15	4x100	38,48		Ø 65	5.8 kg	S	-	340.-
5.0x16	4x100	45		Ø 65	6.0 kg	S	-	360.-
6.5x16	4x100	38,50		Ø 65	6.5 kg	S	-	370.-
7.0x16	5x100	48		Ø 65	7.2 kg	S	-	380.-
	5x114.3	42,52		Ø 73	7.2 kg	S	-	380.-
7.0x17	4x100	43,50		Ø 65	7.9 kg	S	O	420.-
	5x100	45		Ø 65	7.9 kg	S	-	420.-
	5x114.3	48		Ø 73	7.9 kg	S	-	420.-
7.5x17	5x100	48		Ø 65	8.3 kg	S	O	430.-
	5x114.3	45		Ø 73	8.3 kg	S	O	430.-
7.5x18	5x100	45	F	Ø 65	8.7 kg	S	O	460.-
	5x114.3	35,45	F	Ø 73	8.7 kg	S	O	460.-
8.5x18	5x100	45	F	Ø 65	9.1 kg	S	O	480.-
	5x114.3	35,50	F	Ø 73	9.1 kg	S	O	480.-
9.5x18	5x100	45	R	Ø 65	9.3 kg	S	O	490.-
	5x114.3	38,45	R	Ø 73	9.3 kg	S	O	490.-

S Serie, O Option, - not available | black wheel bolts/nuts without extra cost

Options²

blue light chrome II (BLCII), undercut blue trim + 130.-



15"-18" TC 105X

AMF
Advanced Metal Forming
MADE IN JAPAN

flowforming
ultralight

racing wheels

WedsSport

design
NEW design
front/rear

WEDSPORT TC 105X FLOWFORM ULTRALIGHT

titan (T), engraved logo, capless design, aluminium valve

SIZE	PCD	ET	FACE	BORE	WEIGHT	T	CHF
7.0x15	4x100	20,35,48		Ø 65	5.0 kg	S	550.-
7.0x16	4x100	36,43		Ø 65	5.5 kg	S	580.-
	5x100	48		Ø 65	5.5 kg	S	580.-
8.0x17	5x100	42	F	Ø 65	6.9 kg	S	630.-
	5x114.3	32,38,42,49	F	Ø 73	6.9 kg	S	630.-
8.5x17	5x100	43	F	Ø 65	7.3 kg	S	640.-
	5x114.3	32,43	F	Ø 73	7.3 kg	S	640.-
9.0x17	5x100	35	MR	Ø 65	7.3 kg	S	650.-
	5x114.3	10,25,35	MR	Ø 73	7.3 kg	S	650.-
		49	F	Ø 73	7.5 kg	S	650.-
9.5x17	5x114.3	32,45	MR	Ø 73	7.5 kg	S	660.-
8.0x18	5x100	45	FR	Ø 65	7.4 kg	S	720.-
	5x114.3	45	FR	Ø 73	7.4 kg	S	720.-
8.5x18	5x100	43	FR	Ø 65	7.5 kg	S	730.-
	5x114.3	32,43,50	FR	Ø 73	7.5 kg	S	730.-
9.0x18	5x114.3	25,32,45	R	Ø 73	7.7 kg	S	740.-
9.5x18	5x100	45	R	Ø 65	8.0 kg	S	750.-
	5x114.3	10	RR	Ø 73	8.1 kg	S	750.-
		25,35,45	R	Ø 73	8.0 kg	S	750.-
10.0x18	5x114.3	20	RR	Ø 73	8.0 kg	S	760.-
		35	R	Ø 73	8.2 kg	S	760.-
10.5x18	5x114.3	12,25	RR	Ø 73	8.2 kg	S	770.-
11.0x18	5x114.3	15	RR	Ø 73	8.6 kg	S	780.-

S Serie, - not available | black wheel bolts/nuts without extra cost

Options²

hub cap WedsSport (hub ring can't use with hub cap) + 40.-



made in japan
WedsSport



TC 105X FR
titan

TC 105X RR
titan